



- Notes :-**
1. Where brass cable glands are fixed to cast aluminium, E.g. The Haldo base, Then nylon insulating washers shall be used to prevent contact between the brass and aluminium.
  2. Dimensions in millimetres unless otherwise stated.
  3. Sign face to be as specified by the Project Manager.



SCHEME  
STANDARD DETAIL SHEETS



DRAWING  
INSTALLATION OF INTERNALLY  
ILLUMINATED BOLLARDS

This detail is controlled by Birmingham City Council. Email - Transport.Projects@Birmingham.gov.uk

DATE	REV.	DESIGNER	PM	SCALE
2013	E	DETAILS & FRAME AMENDED	DH	PP
2010	D	NOTES AMENDED	DH	TE
2007	C	NOTES AMENDED	-	JN
2002	B	BORDER & TITLE AMENDED	-	AJC
2001	A	DETAILS AMENDED	-	AJC
2000	-	ORIGINAL DRAWING CREATED	SRE	AJC
DATE		DESIGNER	PM	SCALE
DRAWN		DESIGNER	PM	SCALE
DH		TE	PP	E
DRAWING STATUS		REVISION		SCALE
GENERAL		REVISION		SCALE
DWG. No		REVISION		SCALE
HW/12.02		REVISION		SCALE
GENERAL		REVISION		SCALE
GENERAL		REVISION		SCALE